

Record Log Profile

Document Number: DCIM1006
Document Type: Specification
Document Status: Published
Document Language: E
Date: 2014-11-07
Version: 1.1.2



THIS PROFILE IS FOR INFORMATIONAL PURPOSES ONLY, AND MAY CONTAIN TYPOGRAPHICAL ERRORS AND TECHNICAL INACCURACIES. THE CONTENT IS PROVIDED AS IS, WITHOUT EXPRESS OR IMPLIED WARRANTIES OF ANY KIND. ABSENT A SEPARATE AGREEMENT BETWEEN YOU AND DELL™ WITH REGARD TO FEEDBACK TO DELL ON THIS PROFILE SPECIFICATION, YOU AGREE ANY FEEDBACK YOU PROVIDE TO DELL REGARDING THIS PROFILE SPECIFICATION WILL BE OWNED AND CAN BE FREELY USED BY DELL.

© 2012 – 2013 Dell Inc. All rights reserved. Reproduction in any manner whatsoever without the express written permission of Dell, Inc. is strictly forbidden. For more information, contact Dell.

Dell and the *DELL* logo are trademarks of Dell Inc. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell disclaims proprietary interest in the marks and names of others.

CONTENTS

1	Scope.....	5
2	Normative References	5
3	Terms and Definitions	5
4	Symbols and Abbreviated Terms.....	7
5	Synopsis.....	7
6	Description	8
7	Implementation Description	11
7.1	DCIM_LCRecordLog – Lifecycle Log	12
7.2	DCIM_LCRecordLogCapabilities – LC Record Log Capabilities	13
7.3	DCIM_LCLogEntry – LC Log Entry.....	14
7.4	DCIM_SELRecordLog – SEL Record Log.....	16
7.5	DCIM_SELRecordLogCapabilities – SEL Record Log Capabilities	18
7.6	DCIM_SELLogEntry – SEL Log Entry	18
7.7	DCIM_RegisteredProfile - DMTF Record Log Profile 1.0 Registration.....	19
7.8	DCIM_RegisteredProfile - DMTF Record Log Profile 2.0 Registration.....	20
7.9	DCIM_LCRegisteredProfile - DCIM Record Log Profile Profile Registration.....	21
8	Methods	22
8.1	DCIM_SELRecordLog.ClearLog()	22
8.2	DCIM_LCRecordLog.GetConfigResults().....	23
9	Use Cases	24
10	CIM Elements	24
11	Privilege and License Requirement	24
	ANNEX A (informative) Change Log.....	25

Figures

Figure 1 – Record Log Profile Class Diagram	8
Figure 2 – Record Log Profile Implementation (Lifecycle Log)	9
Figure 3 – Record Log Profile Implementation (System Event Log).....	10

Tables

Table 1 – Related Profiles	7
Table 2 – Class Requirements: Record Log Profile	11
Table 3 – DCIM_LCRecordLog - Operations	12
Table 4 – DCIM_LCRecordLog - Properties.....	13
Table 5 – DCIM_LCRecordLogCapabilities - Operations.....	13
Table 6 – DCIM_LCRecordLogCapabilities - Properties	14
Table 7 – DCIM_LCLogEntry - Operations.....	14
Table 8 – DCIM_LCLogEntry – Properties	15
Table 9 – DCIM_SELRecordLog – Operations	17
Table 10 – DCIM_SELRecordLog - Properties	17
Table 11 – DCIM_SELRecordLogCapabilities - Operations.....	18
Table 12 – DCIM_SELRecordLogCapabilities - Properties	18
Table 13 – DCIM_SELLogEntry - Operations	19
Table 14 – DCIM_SELLogEntry - Properties.....	19
Table 15 – CIM_RegisteredProfile - Operations.....	20
Table 16 – DCIM_RegisteredProfile.....	20
Table 17 – CIM_RegisteredProfile - Operations.....	21
Table 18 – DCIM_RegisteredProfile.....	21
Table 19 – DCIM_RegisteredProfile - Operations	22
Table 20 – DCIM_LCRegisteredProfile	22
Table 21 – CIM_RecordLog.ClearLog() Method: Return Code Values	22
Table 22 – CIM_MetricService.GetConfigResults() Method: Standard Messages.....	23
Table 23 – DCIM_LCRecordLog.GetConfigResults() Method: Return Code Values	23
Table 24 – DCIM_LCRecordLog.GetConfigResults() Method: Parameters	23
Table 25 – DCIM_LCRecordLog.GetConfigResults() Method: Standard Messages.....	23
Table 26 – Privilege and License Requirements	24

1

Record Log Profile

2 1 Scope

3 The DCIM Record Log Profile provides the management capabilities to represent logs of a managed
4 system element. This profile provides information on managing Lifecycle and System Event logs. The log
5 is modeled as referencing the managed system elements that populate the log, and the profile
6 registration for the schema implementation version information.

7 2 Normative References

8 Refer to the following documents for more information.

9 **NOTE:** For dated references, only the edition cited applies. For undated references, the latest edition of
10 the referenced document (including any amendments) applies.

- 11 • DMTF DSP1010, *Record Log Profile 2.0.0*
- 12 • DMTF DSP1033, *Profile Registration Profile 1.0.0*
- 13 • DMTF DSP0226, *Web Services for Management (WS-Management) Specification 1.1.0*
- 14 • DMTF DSP0227, *WS-Management CIM Binding Specification 1.0.0*
- 15 • *Dell Lifecycle Controller Best Practices Guide 1.0,*
16 http://en.community.dell.com/techcenter/extras/m/white_papers/20066173.aspx
- 17 • *Dell WSMAN Licenses and Privileges 1.0*
- 18 • Dell Tech Center MOF Library: <http://www.dellttechcenter.com/page/DCIM.Library.MOF>
- 19 • Related Managed Object Format (MOF) files:
 - 20 ○ DCIM_LCLogEntry.mof
 - 21 ○ DCIM_LCRecordLog.mof
 - 22 ○ DCIM_LCRecordLogCapabilities.mof
 - 23 ○ DCIM_LCElementCapabilities.mof
 - 24 ○ DCIM_LCUseOfLog.mof
 - 25 ○ DCIM_LCLogManagesRecord.mof
 - 26 ○ DCIM_SELLogEntry.mof
 - 27 ○ DCIM_SELRecordLog.mof
 - 28 ○ DCIM_SELRecordLogCapabilities.mof
 - 29 ○ DCIM_SELElementCapabilities.mof
 - 30 ○ DCIM_SELUseOfLog.mof
 - 31 ○ DCIM_SELLogManagesRecord.mof

32 3 Terms and Definitions

33 For the purposes of this document, the following terms and definitions apply.

- 34 **3.1**
35 **Conditional** – Indicates requirements to be followed strictly in order to conform to the document when the
36 specified conditions are met.
- 37 **3.2**
38 **Mandatory** – Indicates requirements to be followed strictly in order to conform to the document and from
39 which no deviation is permitted.
- 40 **3.3**
41 **May** – Indicates a course of action permissible within the limits of the document.
- 42 **3.4**
43 **Optional** – Indicates a course of action permissible within the limits of the document.
- 44 **3.5**
45 **can** – Used for statements of possibility and capability, whether material, physical, or causal.
- 46 **3.6**
47 **cannot** – Used for statements of possibility and capability, whether material, physical, or causal.
- 48 **3.7**
49 **need not** – Indicates a course of action permissible within the limits of the document.
- 50 **3.8**
51 **referencing profile** – Indicates a profile that owns the definition of this class and can include a reference
52 to this profile in its “Related Profiles” table.
- 53 **3.9**
54 **shall** – Indicates requirements to be followed strictly in order to conform to the document and from which
55 no deviation is permitted.

57 **4 Symbols and Abbreviated Terms**

58 **4.1**

59 **CIM** – Common Information Model

60 **4.2**

61 **iDRAC** - Integrated Dell Remote Access Controller – management controller for blades and monolithic
62 servers

63 **4.3**

64 **CMC** – Chassis Manager Controller – management controller for the modular chassis

65 **4.4**

66 **LIFO** – Last In, First Out

67 **4.5**

68 **LCL** – Lifecycle Log

69 **4.6**

70 **SEL** – System Event Log

71 **5 Synopsis**

72 **Profile Name:** Record Log

73 **Version:** 1.1.1

74 **Organization:** DCIM

75 **CIM Schema Version:** 2.26 Experimental

76 **Dell Schema Version:** 1.0.0

77 **Interop Namespace:** root/interop

78 **Implementation Namespace:** root/dcim

79 **Central Class:** DCIM_LCRecordLog, DCIM_SELRecordLog

80 **Scoping Class:** DCIM_ComputerSystem

81 The Record Log Profile is an autonomous profile that provides the management capabilities to represent
82 logs of a managed system element.

83 DCIM_RecordLog shall be the Central Class.

84 Table 1 identifies profiles that are related to this profile.


85 **Table 1 – Related Profiles**

Profile Name	Organization	Version	Relationship
Profile Registration	DCIM	1.0	Reference
Record Log	DMTF	2.0	Specialize

86 6 Description

87 The *Record Log Profile* describes the properties and methods of logs generated by the managed system.
88 This profile describes the association between the managed system element and the generated logs as
89 well as how individual log entries are contained within a record log.

90 Figure 1 represents the class diagram for Record Log Profile.



91
92


93 **Figure 1 – Record Log Profile Class Diagram**

94 Figure 2 represents the Lifecycle Log (LCL) representation. The DCIM_LCRecordLog class represents
95 the container for the Lifecycle log entries. The individual log entries, which are represented by the
96 DCIM_LCLogEntry instances, are aggregated under the DCIM_LCRecordLog instance through the
97 DCIM_LCLogManagesRecord association. The managed system element that is associated with the log,
98 uses the log, or populates the log is referenced through the DCIM_LCUseOfLog association. The LC
99 prefixed class names refer to instances of Lifecycle log.

100 The DCIM_LCRecordLogCapabilities represents and specifies the capabilities of the associated LC
101 Record Log.

102 The DCIM_LCLogEntry class contains properties describing the Lifecycle Log information about
103 individual records, such as message text and timestamp.

104



105
106


107 **Figure 2 – Record Log Profile Implementation (Lifecycle Log)**

108 Figure 3 represents the System Event Log (SEL) representation. The DCIM_SELRecordLog class
109 represents the container for the System Event log entries. The individual log entries, which are
110 represented by the DCIM_SELLogEntry instances, are aggregated under the DCIM_SELRecordLog
111 instance through the DCIM_SELLogManagesRecord association. The managed system element that is
112 associated with the log, or populates the log is referenced through the DCIM_SELUseOfLog
113 association. The SEL prefixed class names refer to instances of System Event log.

114 The DCIM_SELRecordLogCapabilities represents and specifies the capabilities of the associated SEL
115 Record Log.

116 The DCIM_SELLogEntry class contains properties describing the System Event Log information about
117 individual records, such as message text and timestamp.

118



119
120

121 **Figure 3 – Record Log Profile Implementation (System Event Log)**

122 **7 Implementation Description**

123 This section describes the requirements and guidelines for implementing Record Log Profile.

124 **Table 2 – Class Requirements: Record Log Profile**

Element Name	Requirement	Description
Classes		
DCIM_LCRecordLog	Mandatory	The class shall be implemented in the Implementation Namespace. See section 7.1
DCIM_LCRecordLogCapabilities	Mandatory	The class shall be implemented in the Implementation Namespace. See section 7.2
DCIM_LCLogEntry	Mandatory	The class shall be implemented in the Implementation Namespace. See section 7.3
DCIM_LCElementCapabilities	Mandatory	The class shall be implemented in the Implementation Namespace. See section 7.1 and 7.2
DCIM_LCUseOfLog	Mandatory	The class shall be implemented in the Implementation Namespace. See section 7.1
DCIM_LCLogManagesRecord	Mandatory	The class shall be implemented in the Implementation Namespace. See section 7.1 and 7.3
DCIM_SELRecordLog	Mandatory	The class shall be implemented in the Implementation Namespace. See section 7.4
DCIM_SELRecordLogCapabilities	Mandatory	The class shall be implemented in the Implementation Namespace. See section 7.5
DCIM_SELLogEntry	Mandatory	The class shall be implemented in the Implementation Namespace. See section 7.6
DCIM_SELElementCapabilities	Mandatory	The class shall be implemented in the Implementation Namespace. See section 7.4 and 7.6
DCIM_SELUseOfLog	Mandatory	The class shall be implemented in the Implementation Namespace. See section 7.4
DCIM_SELLogManagesRecord	Mandatory	The class shall be implemented in the Implementation Namespace. See section 7.4 and 7.6
DCIM_ElementConformsToProfile	Mandatory	The class shall be implemented in both the Interop and <i>Implementation Namespaces</i> . See section
DCIM_RegisteredProfile	Mandatory	The class shall be implemented in the <i>Interop Namespace</i> . See section

Element Name	Requirement	Description
DCIM_LCElementConformsToProfile	Mandatory	The class shall be implemented in both the Interop and <i>Implementation Namespaces</i> . See section
DCIM_LCRegisteredProfile	Mandatory	The class shall be implemented in the Interop Namespace. See section
Indications		
None defined in this profile		

125

126 7.1 DCIM_LCRecordLog – Lifecycle Log

127 This section describes the implementation for the DCIM_LCRecordLog class that represents the Lifecycle
 128 Log. The Lifecycle Log never overwrites its entries when it approaches the full capacity, the log is archived
 129 into a partition on Lifecycle Controller.

130 DCIM_LCUseOfLog shall reference the DCIM_LCRecordLog class and the DCIM_ComputerSystem
 131 class.

132 DCIM_LCElementCapabilities shall reference the DCIM_LCRecordLog class and the
 133 DCIM_LCRecordLogCapabilities class.

134 DCIM_LCLogManagesRecord shall reference the DCIM_LCRecordLog class and the DCIM_LCLogEntry.

135 This class shall be instantiated in the Implementation Namespace.

136 7.1.1 Resource URIs

137 The class Resource URI shall be “http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_LCRecordLog?__cimnamespace=root/dcim”

139 The key property shall be the InstanceID.

140 The instance Resource URI for DCIM_LCRecordLog instance shall be:
 141 “http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_LCRecordLog?__cimnamespace=root/dcim+InstanceId=DCIM:LifeCycleLog”

143 7.1.2 Operations

144 The following table lists the implemented operations on DCIM_LCRecordLog.

145 **Table 3 – DCIM_LCRecordLog - Operations**

Operation Name	Requirements	Required Input
Get	Mandatory	Instance URI
Enumerate	Mandatory	Class URI
Invoke	Mandatory	Instance URI (see section 8.2)

146 7.1.3 Class Properties

147 The following table lists the implemented properties for DCIM_LCRecordLog instance representing a
 148 system in a system. The “Requirements” column shall denote whether the property is implemented (for
 149 requirement definitions, see section 3). The “Additional Requirements” column shall denote either
 150 possible values for the property, or requirements on the value formulation.

Table 4 – DCIM_LCRecordLog - Properties

Property Name	Type	Requirements	Additional Requirements
InstanceID	String	Mandatory	The property value shall be “DCIM:LifeCycleLog”.
MaxNumberOfRecords	Uint64	Mandatory	The property shall have the value 0 meaning there is no restriction on the maximum number of records.
LogState	Uint16	Mandatory	The property shall have the value 2 (Normal). The successful instantiation of this class denotes that the logging is fully functional.
OverwritePolicy	Uint16	Mandatory	The property shall have the value 8 (Archives), and the log shall archive the old entries when close to its full capacity.
RequestedState	Uint16	Mandatory	The property shall have the value 12 (Not Applicable).
EnabledState	Uint16	Mandatory	The property shall have the value 2 (Enabled). The logging is always enabled.
OperationalStatus[]	Uint16	Mandatory	The property shall have the value 2 (OK). The successful instantiation of this class denotes that the logging is fully functional.
HealthState	Uint16	Mandatory	The property shall have the value 5 (OK). The successful instantiation of this class denotes that the logging is fully functional.
ElementName	String	Mandatory	The property shall have the value “LifeCycle Log”.
CurrentNumberOfRecords	Uint64	Mandatory	The property value shall be the number of non-archived section of the LifeCycle Log.

152 **7.2 DCIM_LCRecordLogCapabilities – LC Record Log Capabilities**

153 This section describes the implementation for the DCIM_LCRecordLogCapabilities class.

154 DCIM_LCElementCapabilities shall reference the DCIM_LCRecordLog class and the DCIM_
155 LCRecordLogCapabilities class.

156 This class shall be instantiated in the Implementation Namespace.

157 **7.2.1 Resource URIs**

158 The class Resource URI shall be “http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_LCRecordLogCapabilities? cimnamespace=root/dcim”

160 The key property shall be the InstanceID.

161 The instance Resource URI for DCIM_LCRecordLog instance shall be:
162 “http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_LCRecordLogCapabilities? cimnamespace=root/dcim+InstanceId=DCIM:LifeCycleLogCapabilities”

164 **7.2.2 Operations**

165 The following table lists the operations implemented on DCIM_LCRecordLogCapabilities.

Table 5 – DCIM_LCRecordLogCapabilities - Operations

Operation Name	Requirements	Required Input
Get	Mandatory	Instance URI
Enumerate	Mandatory	Class URI

167

168 **7.2.3 Class Properties**

169 The following table lists the implemented properties for DCIM_LCRecordLogCapabilities instance
 170 representing the capabilities of the LCRecordLog. The “Requirements” column shall denote whether the
 171 property is implemented (for requirement definitions, see section 3). The “Additional Requirements”
 172 column shall denote either possible values for the property, or requirements on the value formulation.

173 **Table 6 – DCIM_LCRecordLogCapabilities - Properties**

Property Name	Type	Requirements	Additional Requirements
InstanceID	String	Mandatory	The property value shall be “DCIM:LifeCycleLogCapabilities”
RequestedStatesSupported[]	Uint16	Mandatory	The property array shall be empty meaning the log state management is not supported
ElementNameEditSupported	Boolean	Mandatory	The property shall have value FALSE.
SupportedRecordTypes[]	Uint16	Mandatory	The property shall have value 3 (Standard Messages).

174 **7.3 DCIM_LCLogEntry – LC Log Entry**

175 This section describes the implementation for the DCIM_LCLogEntry class.

176 DCIM_LCLogManagesRecord shall reference the DCIM_LCRecordLog class and the DCIM_LCLogEntry.

177 This class shall be instantiated in the Implementation Namespace.

178 **7.3.1 Resource URIs**179 The class Resource URI shall be “http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_LCLogEntry?__cimnamespace=root/dcim”

181 The key property shall be the InstanceID.

182 The instance Resource URI for DCIM_LCLogEntry instance shall be:
 183 “http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_LCLogEntry?__cimnamespace=root/dcim+InstanceId=<InstanceId>”

185 **7.3.2 Operations**

186 The following table lists the operations implemented on DCIM_LCLogEntry.

187 **Table 7 – DCIM_LCLogEntry - Operations**

Operation Name	Requirements	Required Input
Get	Mandatory	Instance URI
Enumerate	Mandatory	Class URI
Set	Mandatory	Instance URI NOTE: Set operation may modify only the Comment property. NOTE: This operation cannot be used to add a new LCL log entry, such as a worknote, the DCIM_LCService.InsertCommentInLCLog() method in the LC Management Profile shall be invoked.

189 **7.3.3 Class Properties**

190 The following table lists the implemented properties for DCIM_LCLogEntry instance representing a
 191 system in a system. The “Requirements” column shall denote whether the property is implemented (for
 192 requirement definitions, see section 3). The “Additional Requirements” column shall denote either
 193 possible values for the property, or requirements on the value formulation.

Table 8 – DCIM_LCLogEntry – Properties

Property Name	Type	Requirements	Additional Requirements
InstanceID	String	Mandatory	The property value shall have format “DCIM:<sequence number of log entry>”
LogInstanceID	String	Mandatory	The property value shall be “DCIM:LifeCycleLog”.
LogName	String	Mandatory	The property value shall be “LifeCycle Log”.
RecordID	String	Mandatory	The property value shall be sequence number of log entry.
SequenceNumber	uint32	Mandatory	The property value shall be sequence number of log entry.
CreationTimeStamp	Datetime	Mandatory	The property value shall represent time stamp of log entry creation.
ElementName	String	Mandatory	The property value shall represent the detailed description of the logged event.
PerceivedSeverity	uint16	Mandatory	The property value shall represent the severity of the logged event and shall have one of the following values: <ul style="list-style-type: none"> • 2 (Information) • 3 (Degraded/Warning) • 4(Minor) • 5(Major) • 6(Critical) • 7(Fatal/NonRecoverable)
OwningEntity	String	Mandatory	The property value shall be “DCIM”.
MessageID	String	Mandatory	The property value shall represent the message ID corresponding to the logged event.
Message	String	Mandatory	The property value shall represent the detailed description of the logged event.
MessageArguments[]	String	Mandatory	The property value shall be an array containing the dynamic content of the message.

Property Name	Type	Requirements	Additional Requirements
Category[]	String	Mandatory	The property value shall represent the category of the logged event entry and shall be one of the following values: <ul style="list-style-type: none">• Unknown• System• Storage• Audit• Configuration• Updates• Work Notes
AgentID	String	Mandatory	The property value shall represent the ID of the source agent responsible for creation of the log entry event.
FQDD	String	Mandatory	The property value shall represent the FQDD of the device that the logged event relates to.
Comment	String	Mandatory	The property value shall represent the user specified comment for the logged event. This property represents only a comment field to an existing log entry. NOTE: This property shall be set using the Set (Put) operation. NOTE: In order to add a new LCL log entry, such as a worknote, the DCIM_LCService.InsertCommentInLCLog() method in the LC Management Profile shall be invoked.
ConfigResultsAvailable	Boolean	Mandatory	The property value of TRUE shall represent that the configuration results are available in the XML format.
RawEventData	String	Optional	The property shall contain the raw event data. In the case of IPMI based events, IPMI SEL binary data.

195 **7.4 DCIM_SELRecordLog – SEL Record Log**

- 196 This section describes the implementation for the DCIM_SELRecordLog class that represents SEL log.
- 197 NOTE: iDRAC can only store 512 SEL logs. If this limit is exceeded, the new SEL logs are rejected.
- 198 DCIM_SELUseOfLog shall reference the DCIM_SELRecordLog class and the DCIM_ComputerSystem class.
- 200 DCIM_SELElementCapabilities shall reference the DCIM_SELRecordLog class and the DCIM_SELRecordLogCapabilities class.
- 202 DCIM_SELLogManagesRecord shall reference the DCIM_SELRecordLog class and the DCIM_SELLogEntry.
- 204 This class shall be instantiated in the Implementation Namespace.

205 **7.4.1 Resource URIs**

206 The class Resource URI shall be “http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_SELRecordLog?__cimnamespace=root/dcim”

207

208 The key property shall be the InstanceID.

209 The instance Resource URI for DCIM_SELRecordLog instance shall be:
210 “http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_SELRecordLog?__cimnamespace=root/dcim+InstanceId=DCIM:SEL:1”

211

212 **7.4.2 Operations**

213 The following table lists the operations implemented on DCIM_SELRecordLog.

214 **Table 9 – DCIM_SELRecordLog – Operations**

Operation Name	Requirements	Required Input
Get	Mandatory	Instance URI
Enumerate	Mandatory	Class URI
Invoke	Mandatory	Instance URI (see section 8.1)

215 **7.4.3 Class Properties**

216 The following table lists the implemented properties for DCIM_SELRecordLog instance representing a system in a system. The “Requirements” column shall denote whether the property is implemented (for requirement definitions, see section 3). The “Additional Requirements” column shall denote either possible values for the property, or requirements on the value formulation.

217

218

219

220 **Table 10 – DCIM_SELRecordLog - Properties**

Property Name	Type	Requirements	Additional Requirements
InstanceId	String	Mandatory	The property value shall be "DCIM:SEL:1".
MaxNumberOfRecords	Uint64	Mandatory	The property shall have the value 512.
LogState	Uint16	Mandatory	The property shall have the value 2 (Normal). The successful instantiation of this class denotes that the logging is fully functional.
OverwritePolicy	Uint16	Mandatory	The property shall have the value 7 (Never Overwrites), and the log may reject logging new events.
RequestedState	Uint16	Mandatory	The property shall have the value 12 (Not Applicable).
EnabledState	Uint16	Mandatory	The property shall have the value 2 (Enabled). The logging is always enabled.
OperationalStatus[]	Uint16	Mandatory	The property shall have the value 2 (OK). The successful instantiation of this class denotes that the logging is fully functional.
HealthState	Uint16	Mandatory	The property shall have the value 5 (OK). The successful instantiation of this class denotes that the logging is fully functional.
ElementName	String	Mandatory	The property value shall be “System Event Log”.
CurrentNumberOfRecords	Uint64	Mandatory	The property value shall represent the number of records in the System Event Log.

221 **7.5 DCIM_SELRecordLogCapabilities – SEL Record Log Capabilities**

222 This section describes the implementation for the DCIM_SELRecordLogCapabilities class.

223 DCIM_SELElementCapabilities shall reference the DCIM_SELRecordLog class and the DCIM_
224 SELRecordLogCapabilities class.

225 This class shall be instantiated in the Implementation Namespace.

226 **7.5.1 Resource URIs**

227 The class Resource URI shall be “http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_SELRecordLogCapabilities?__cimnamespace=root/dcim”

229 The key property shall be the InstanceID.

230 The instance Resource URI for DCIM_SELRecordLog instance shall be:
231 “http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_SELRecordLogCapabilities?__cimnamespace=root/dcim+InstanceId=DCIM:SELCapabilities”

233 **7.5.2 Operations**

234 The following table lists the operations implemented on DCIM_SELRecordLogCapabilities.

235 **Table 11 – DCIM_SELRecordLogCapabilities - Operations**

Operation Name	Requirements	Required Input
Get	Mandatory	Instance URI
Enumerate	Mandatory	Class URI

236

237 **7.5.3 Class Properties**

238 The following table lists the implemented properties for DCIM_SELRecordLogCapabilities instance
239 representing the capabilities of the SELRecordLog. The “Requirements” column shall denote whether the
240 property is implemented (for requirement definitions, see section 3). The “Additional Requirements”
241 column shall denote either possible values for the property, or requirements on the value formulation.

242 **Table 12 – DCIM_SELRecordLogCapabilities - Properties**

Property Name	Type	Requirements	Additional Requirements
InstanceId	String	Mandatory	The property shall have the value “DCIM:SELCapabilities”.
RequestedStatesSupported[]	Uint16	Mandatory	The property array shall be empty because the log state management is not supported
ElementNameEditSupported	Boolean	Mandatory	The property shall have the value FALSE.
SupportedRecordTypes[]	Uint16	Mandatory	The property shall have the value 2 (Record Data).

243 **7.6 DCIM_SELLogEntry – SEL Log Entry**

244 This section describes the implementation for the DCIM_SELLogEntry class.

245 DCIM_SELLogManagesRecord shall reference the DCIM_SELRecordLog class and the
246 DCIM_SELLogEntry.

247 This class shall be instantiated in the Implementation Namespace.

248 **7.6.1 Resource URIs**

249 The class Resource URI shall be "http://schemas.dell.com/wbem/wscim/1/cim-
250 schema/2/DCIM_SELLogEntry? cimnamespace=root/dcim"

251 The key property shall be the InstanceID.

252 The instance Resource URI for DCIM_SELLogEntry instance shall be:
253 "http://schemas.dell.com/wbem/wscim/1/cim-
254 schema/2/DCIM_SELLogEntry? cimnamespace=root/dcim+InstanceID=<InstanceID>"

255 **7.6.2 Operations**

256 The following table details the implemented operations on DCIM_SELLogEntry.

257 **Table 13 – DCIM_SELLogEntry - Operations**

Operation Name	Requirements	Required Input
Get	Mandatory	Instance URI
Enumerate	Mandatory	Class URI

258

259 **7.6.3 Class Properties**

260 The following table lists the implemented properties for DCIM_SELLogEntry instance representing a
261 system in a system. The "Requirements" column shall denote whether the property is implemented (for
262 requirement definitions, see section 3). The "Additional Requirements" column shall denote either
263 possible values for the property, or requirements on the value formulation.

264 **Table 14 – DCIM_SELLogEntry - Properties**

Property Name	Type	Requirements	Additional Requirements
InstanceID	String	Mandatory	The property value shall have the prefix "DCIM:SEL:Entry:" followed by the index.
LogInstanceID	String	Mandatory	The property value shall be "DCIM:SEL:1".
LogName	String	Mandatory	The property value shall be "System Event Log".
RecordID	String	Mandatory	The property value shall be the sequence number of the log entry.
CreationTimeStamp	Datetime	Mandatory	The property value shall represent the time stamp of the log entry creation.
ElementName	String	Mandatory	The property value shall be the "System Event Log Entry".
RecordData	String	Mandatory	The property value shall represent the detailed description of the logged event.
RecordFormat	String	Mandatory	The property value shall have "string Description".

265

266 **7.7 DCIM_RegisteredProfile - DMTF Record Log Profile 1.0 Registration**

267 This section describes the implementation for the DCIM_RegisteredProfile class

268 This class shall be instantiated in the Interop Namespace.

269 The DCIM_ElementConformsToProfile shall be instantiate in both the Interop Namespace and
270 Implementation Namespace: root/dcim and shall reference the DCIM_RegisteredProfile instance.

271 **7.7.1 Resource URIs for WinRM®**

272 The class Resource URI shall be "http://schemas.dell.com/wbem/wscim/1/cim-
273 schema/2/DCIM_RegisteredProfile?__cimnamespace=root/interop"

274 The instance Resource URI shall be: "http://schemas.dell.com/wbem/wscim/1/cim-
275 schema/2/DCIM_LCRegisteredProfile? cimnamespace=root/interop+InstanceId=
276 DCIM:RecordLogRegisteredProfile:1"

277 The key property shall be the InstanceID property.

278 **7.7.2 Operations**

279 The following table lists the operations implemented on CIM_RegisteredProfile .

280 **Table 15 – CIM_RegisteredProfile - Operations**

Operation Name	Requirements	Required Input
Get	Mandatory	Instance URI
Enumerate	Mandatory	Class URI

281

282 **7.7.3 DCIM_RegisteredProfile Properties**

283 The following table lists the implemented properties for CIM_RegisteredProfile instance representing the
284 Record Log Profile implementation. The “Requirements” column shall denote whether the property is
285 implemented (for requirement definitions, see section 3). The “Additional Requirements” column shall
286 denote either possible values for the property, or requirements on the value formulation.

287 **Table 16 – DCIM_RegisteredProfile**

Property Name	Requirement	Type	Additional Requirements
InstanceId	Mandatory	string	The property value shall be DCIM:RecordLogRegisteredProfile:1.
RegisteredName	Mandatory	string	This property shall have a value of "Record Log".
RegisteredVersion	Mandatory	string	This property shall have a value of "1.0.0".
RegisteredOrganization	Mandatory	uint16	This property shall have a value of 2 (DMTF).

288 **7.8 DCIM_RegisteredProfile - DMTF Record Log Profile 2.0 Registration**

289 This section describes the implementation for the DCIM_RegisteredProfile class

290 This class shall be instantiated in the Interop Namespace.

291 The DCIM_ElementConformsToProfile shall be instantiate in both the Interop Namespace and
292 Implementation Namespace: root/dcim and shall reference the DCIM_RegisteredProfile instance.

293 **7.8.1 Resource URIs for WinRM®**

294 The class Resource URI shall be "http://schemas.dell.com/wbem/wscim/1/cim-
295 schema/2/DCIM_RegisteredProfile?__cimnamespace=root/interop"

296 The instance Resource URI shall be: "http://schemas.dell.com/wbem/wscim/1/cim-
297 schema/2/DCIM_LCRegisteredProfile? cimnamespace=root/interop+InstanceID=DMTF:RecordLog:2.0.
298 0"

299 The key property shall be the InstanceID property.

300

301 **7.8.2 Operations**

302 The following table details the implemented operations on CIM_RegisteredProfile .

303 **Table 17 – CIM_RegisteredProfile - Operations**

Operation Name	Requirements	Required Input
Get	Mandatory	Instance URI
Enumerate	Mandatory	Class URI

304

305 **7.8.3 DCIM_RegisteredProfile Properties**

306 The following table lists the implemented properties for CIM_RegisteredProfile instance representing the
307 Record Log Profile implementation. The "Requirements" column shall denote whether the property is
308 implemented (for requirement definitions, see section 3). The "Additional Requirements" column shall
309 denote either possible values for the property, or requirements on the value formulation.

310 **Table 18 – DCIM_RegisteredProfile**

Property Name	Requirement	Type	Additional Requirements
InstanceId	Mandatory	string	DMTF:RecordLog:2.0.0
RegisteredName	Mandatory	string	This property shall have a value of "Record Log".
RegisteredVersion	Mandatory	string	This property shall have a value of "2.0.0".
RegisteredOrganization	Mandatory	uint16	This property shall have a value of 2 (DMTF).
AdvertisedTypes[]	Mandatory	uint16	This property array shall contain [1(Other), 1 (Other)].
AdvertiseTypeDescriptions[]	Mandatory	string	This property array shall contain ["WS-Identify", "Interop Namespace"].

311

312 **7.9 DCIM_LCRegisteredProfile - DCIM Record Log Profile Profile Registration**

313 This section describes the implementation for the DCIM_RegisteredProfile class

314 This class shall be instantiated in the Interop Namespace.

315 The DCIM_LCElementConformsToProfile shall be instantiate in both the Interop Namespace and
316 Implementation Namespace: root/dcim and shall reference the DCIM_LCRegisteredProfile instance.

317 **7.9.1 Resource URIs for WinRM®**

318 The class Resource URI shall be "http://schemas.dell.com/wbem/wscim/1/cim-
319 schema/2/DCIM_LCRegisteredProfile? cimnamespace=<Interop Namespace"

320 The key property shall be the InstanceID property.

321 The instance Resource URI shall be: "http://schemas.dell.com/wbem/wscim/1/cim-
322 schema/2/DCIM_LCRegisteredProfile? cimnamespace=root/interop+InstanceId=DCIM:RecordLog:1.0.0
323 "

324 **7.9.2 Operations**

325 The following table details the implemented operations on DCIM_RegisteredProfile .

326 **Table 19 – DCIM_RegisteredProfile - Operations**

Operation Name	Requirements	Required Input
Get	Mandatory	Instance URI
Enumerate	Mandatory	Class URI

327

328 **7.9.3 Properties**

329 The following table lists the implemented properties for DCIM_LCRegisteredProfile instance representing
330 the Record Log Profile implementation. The "Requirements" column shall denote whether the property is
331 implemented (for requirement definitions, see section 3). The "Additional Requirements" column shall
332 denote either possible values for the property, or requirements on the value formulation.

333 **Table 20 – DCIM_LCRegisteredProfile**

Property Name	Requirement	Type	Additional Requirements
InstanceId	Mandatory	string	The property shall have a value of "DCIM:RecordLog:1.0.0".
RegisteredName	Mandatory	string	This property shall have a value of "Record Log".
RegisteredVersion	Mandatory	string	This property shall have a value of "1.0.0".
RegisteredOrganization	Mandatory	uint16	This property shall have a value of 1 (Other).
OtherRegisteredOrganization	Mandatory	string	The property value shall match "DCIM".
AdvertisedTypes[]	Mandatory	uint16	This property array shall contain [1(Other), 1 (Other)].
AdvertiseTypeDescriptions[]	Mandatory	string	This property array shall contain ["WS-Identify", "Interop Namespace"].

334

335 **8 Methods**

336

337 **8.1 DCIM_SELRecordLog.ClearLog()**

338 The ClearLog() method is used to delete all the entries in the SEL log. A return code value of zero shall
339 indicate that the log entries deletion was successfully initiated.

340 CIM_RecordLog.ClearLog() return code values shall be as specified in Table 21.

341 No parameters or standard messages are defined for the CIM_RecordLog.ClearLog() method.

342 **Table 21 – CIM_RecordLog.ClearLog() Method: Return Code Values**

Value	Description
0	Request was successfully executed.
1	Method is not supported in the implementation.

Value	Description
2	Error occurred

343 **Table 22 – CIM_MetricService.GetConfigResults() Method: Standard Messages**

MessageID (OUT parameter)	Message	MessageArguments[]
LOG004	Resource allocation failure	

344 **8.2 DCIM_LCRecordLog.GetConfigResults()**345 The GetConfigResults() method provides the ability to get the configuration results that are associated
346 with a particular logged entry.347 The GetConfigResults() method's return code values shall be as specified in Table 23 where the method
348 execution behavior matches the return code description. The GetConfigResults() method's parameters
349 are specified in Table 24.350 **Table 23 – DCIM_LCRecordLog.GetConfigResults() Method: Return Code Values**

Value	Description
0	Operation completed successfully
2	Failed

351 **Table 24 – DCIM_LCRecordLog.GetConfigResults() Method: Parameters**

Qualifiers	Name	Type	Description/Values
IN	InstanceId	String	The DCIM_LCLogEntry.InstanceID value for the log entry for which the config results is requested.
IN	JobID	String	This is the jobid for which the config results is requested
OUT	MessageID	String	Error MessageID
OUT	Message	String	Error Message
OUT	MessageArguments[]	String	Error MessageArguments
OUT	ConfigResults	String	Config results in the XML format.

352 Note: Either of InstanceID or JobID should be provided as input.

353 **Table 25 – DCIM_LCRecordLog.GetConfigResults() Method: Standard Messages**

MessageID (OUT parameter)	Message	MessageArguments[]
LOG001	Missing parameter(s) %s	InstanceId
LOG002	Invalid parameter value for %s	InstanceId
LOG003	ConfigResults not available for given InstanceID	

354

355 **9 Use Cases**

356 See *Lifecycle Controller (LC) Integration Best Practices Guide*.

357 **10 CIM Elements**

358 No additional details specified.

359 **11 Privilege and License Requirement**

360 The following table describes the privilege and license requirements for the listed operations. For the
361 detailed explanation of the privileges and licenses, refer to the Dell WSMAN Licenses and Privileges
362 specification.

363 **Table 26 – Privilege and License Requirements**

Class and Method	Operation	User Privilege Required	License Required
DCIM_LCRecordLog	ENUMERATE, GET	Login	None.
DCIM_LCRecordLogCapabilities	ENUMERATE, GET	Login	None.
DCIM_LCLogEntry	ENUMERATE, GET	Login	None.
DCIM_LCLogEntry.	SET	Login, Configure	None.
DCIM_LCElementCapabilities	ENUMERATE, GET	Login	None.
DCIM_LCUseOfLog	ENUMERATE, GET	Login	None.
DCIM_LCLogManagesRecord	ENUMERATE, GET	Login	None.
DCIM_SELRecordLog	ENUMERATE, GET	Login	None.
DCIM_SELRecordLog. ClearLog()	INVOKE	Login, Logs	None.
DCIM_SELRecordLogCapabilities	ENUMERATE, GET	Login	None.
DCIM_SELLogEntry	ENUMERATE, GET	Login	None.
DCIM_SELElementCapabilities	ENUMERATE, GET	Login	None.
DCIM_SELUseOfLog	ENUMERATE, GET	Login	None.
DCIM_SELLogManagesRecord	ENUMERATE, GET	Login	None.
DCIM_ElementConformsToProfile	ENUMERATE, GET	Login	None.
DCIM_RegisteredProfile	ENUMERATE, GET	Login	None.
DCIM_LCRegisteredProfile	ENUMERATE, GET	Login	None.
DCIM_LCElementConformsToProfile	ENUMERATE, GET	Login	None.
DCIM_LCRecordLog.GetConfigResults()	invoke	Login	None.

365
366
367
368
369

ANNEX A **(informative)**

Change Log

Version	Date	Description
1.0.0	03/08/2012	Initial version of the profile.
1.0.1	04/17/2012	Corrected the table titles for the ConfigResults() method. Added “Unknown” as a possible value for the DCIM_LCLogEntry.Category property. Corrected the DCIM_SELRecordLogCapabilities.InstanceID property value. Removed the Set operation as supported for DCIM_SELLogEntry.
1.1.1	07/09/2013	Added Job ID as a possible input to the GetConfigResults Method.
1.1.2	11/7/2014	Added DCIM_LCRecordLog.GetConfigResults() under Privilege and License Requirements

370
371