

Memory Profile

Document Number: DCIM1044
Document Type: Specification
Document Status: Published
Document Language: E
Date: 2014-03-14

Version: 1.1.0



THIS PROFILE IS FOR INFORMATIONAL PURPOSES ONLY, AND MAY CONTAIN TYPOGRAPHICAL ERRORS AND TECHNICAL INACCURACIES. THE CONTENT IS PROVIDED AS IS, WITHOUT EXPRESS OR IMPLIED WARRANTIES OF ANY KIND. ABSENT A SEPARATE AGREEMENT BETWEEN YOU AND DELL™ WITH REGARD TO FEEDBACK TO DELL ON THIS PROFILE SPECIFICATION, YOU AGREE ANY FEEDBACK YOU PROVIDE TO DELL REGARDING THIS PROFILE SPECIFICATION WILL BE OWNED AND CAN BE FREELY USED BY DELL.

© 2013 - 2014 Dell Inc. All rights reserved. Reproduction in any manner whatsoever without the express written permission of Dell, Inc. is strictly forbidden. For more information, contact Dell.

Dell and the *DELL* logo are trademarks of Dell Inc. *Microsoft* and *WinRM* are either trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell disclaims proprietary interest in the marks and names of others.

CONTENTS

1	Scope	5
2	Normative References.....	5
3	Terms and Definitions	5
4	Symbols and Abbreviated Terms	6
5	Synopsis	7
6	Description	8
7	Implementation Description	10
	7.1 Memory View	10
	7.2 Memory Profile Profile Registration	12
8	Methods.....	13
9	Use Cases	13
10	CIM Elements	13
11	Privilege and License Requirement	13

Figures

Figure 1 – Class Diagram	8
Figure 2 – Memory Profile Implementation	9

Tables

Table 1 – Related Profiles	7
Table 2 – Class Requirements: Memory Profile	10
Table 3 – DCIM_MemoryView - Operations	10
Table 4 – DCIM_MemoryView - Properties	11
Table 5 – DCIM_LCRegisteredProfile - Operations	12
Table 6 – DCIM_LCRegisteredProfile	12
Table 7 – Privilege and License Requirements	14

Memory Profile

1 Scope

The DCIM Memory Profile describes the properties and interfaces for executing system management tasks related to the management of memories (DIMMs) within a system. The profile standardizes and aggregates the description for the memory properties into a memory view representation as well as provides static methodology for the clients to query the memory views without substantial traversal of the model.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

DMTF DSP1033, *Profile Registration Profile 1.0.0*

DMTF DSP0226, *Web Services for Management (WS-Management) Specification 1.1.0*

DMTF DSP0227, *WS-Management CIM Binding Specification 1.0.0*

Dell Lifecycle Controller Best Practices Guide 1.0,
http://en.community.dell.com/techcenter/extras/m/white_papers/20066173.aspx

Dell WSMAN Licenses and Privileges 1.0

Dell Tech Center MOF Library, <http://www.delltechcenter.com/page/DCIM.Library.MOF>

- DCIM_MemoryView.mof
- DCIM_LCEnumeration.mof
- DCIM_LCRegisteredProfile.mof

3 Terms and Definitions

For the purposes of this document, the following terms and definitions apply.

3.1

conditional

indicates requirements to be followed strictly in order to conform to the document when the specified conditions are met

3.2

mandatory

indicates requirements to be followed strictly in order to conform to the document and from which no deviation is permitted

34 **3.3**
35 **may**
36 indicates a course of action permissible within the limits of the document

37 **3.4**
38 **optional**
39 indicates a course of action permissible within the limits of the document

40 **3.5**
41 **referencing profile**
42 indicates a profile that owns the definition of this class and can include a reference to this profile in its
43 “Related Profiles” table

44 **3.6**
45 **shall**
46 indicates requirements to be followed strictly in order to conform to the document and from which no
47 deviation is permitted

48 **3.7**
49 **FQDD**
50 Fully Qualified Device Descriptor is used to identify a particular component in a system.

51 **3.8**
52 **Interop Namespace**
53 Interop Namespace is where instrumentation instantiates classes to advertise its capabilities for client
54 discovery.

55 **3.9**
56 **Implementation Namespace**
57 Implementation Namespace is where instrumentation instantiates classes relevant to executing core
58 management tasks.

59 **3.10**
60 **ENUMERATE**
61 Refers to WS-MAN **ENUMERATE** operation as described in Section 8.2 of DSP0226_V1.1 and Section
62 9.1 of DSP0227_V1.0

63 **3.11**
64 **GET**
65 Refers to WS-MAN **GET** operation as defined in Section 7.3 of DSP00226_V1.1 and Section 7.1 of
66 DSP0227_V1.0
67

68 **4 Symbols and Abbreviated Terms**

69 **4.1**
70 **CIM**
71 Common Information Model

4.2

iDRAC

integrated Dell Remote Access Controller – management controller for blades and monolithic servers

4.3

CMC

Chassis Manager Controller – management controller for the modular chassis

4.4

WBEM

Web-Based Enterprise Management

5 Synopsis

Profile Name: Memory

Version: 1.1.0

Organization: Dell

CIM Schema Version: 2.26 Experimental

Dell Schema Version: 1.0.0

Interop Namespace: root/interop

Implementation Namespace: root/dcim

Central Class: DCIM_MemoryView

Scoping Class: DCIM_ComputerSystem

The Dell Memory Profile is a component profile that contains the Dell specific implementation requirements for memory view.

DCIM_MemoryView shall be the Central Class.

Table 1 identifies profiles that are related to this profile.

Table 1 – Related Profiles

Profile Name	Organization	Version	Relationship
Profile Registration	DCIM	1.0	Reference

6 Description

The Dell Memory Profile describes platform's physical memory. Each DIMM's information is represented by an instance of DCIM_MemoryView class.

Figure 1 details the class diagram of the Dell Memory Profile.




Figure 1 – Class Diagram

Figure 2 details typical Dell Memory Profile implementation for a platform containing two DIMMs. In order for client to discover the instrumentation's support of this profile, MemoryProfile is instantiated in the Interop Namespace. MemoryProfile instance describes the information about the implemented profile: most importantly, the name and version of the profile and the organization name that produced the profile.

Memory1 and memory2 are the memory views representing the two memories in the Implementation Namespace. They are associated to the Interop namespace's MemoryProfile instance.




Figure 2 – Memory Profile Implementation

7 Implementation Description

This section describes the requirements and guidelines for implementing Dell Memory Profile.

Table 2 – Class Requirements: Memory Profile

Element Name	Requirement	Description
Classes		
DCIM_MemoryView	Mandatory	The class shall be implemented in the Implementation Namespace. See section 7.1.
DCIM_LCElementConformsToProfile	Mandatory	The class shall be implemented in the <i>Implementation Namespace</i> .
DCIM_LCElementConformsToProfile	Mandatory	The class shall be implemented in the <i>Interop Namespace</i> .
DCIM_LCRegisteredProfile	Mandatory	The class shall be implemented in the Interop Namespace. See section 7.2.
Indications		
None defined in this profile		

7.1 Memory View

This section describes the implementation for the DCIM_MemoryView class.

This class shall be instantiated in the Implementation Namespace.

The DCIM_LCElementConformsToProfile association(s) shall reference the DCIM_MemoryView instance(s).

7.1.1 Resource URIs for WinRM®

The class Resource URI shall be “http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_MemoryView?__cimnamespace=root/dcim”

The key property shall be the InstanceID.

The instance Resource URI for DCIM_MemoryView instance shall be:
“http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_MemoryView?
?__cimnamespace=root/dcim+InstanceID=<FQDD>”

7.1.2 Operations

The following table details the implemented operations on DCIM_MemoryView.

Table 3 – DCIM_MemoryView - Operations

Operation Name	Requirements	Required Input
Get	Mandatory	Instance URI
Enumerate	Mandatory	Class URI

7.1.3 Properties

The following table details the implemented properties for DCIM_MemoryView instance representing a memory in a system. The “Requirements” column shall denote the implementation requirement for the corresponding property. If the column “Property Name” matches the property name, the property either shall have the value denoted in the corresponding column “Additional Requirement”, or shall be implemented according to the requirements in the corresponding column “Additional Requirement”.

Table 4 – DCIM_MemoryView - Properties

Property Name	Requirements	Type	Requirement and description
InstanceID	Mandatory	string	The property value shall be the FQDD property value.
FQDD	Mandatory	string	The property shall represent, a string containing the Fully Qualified Device Description, a user-friendly name for the object.
DeviceDescription	Mandatory	string	A string containing the friendly Fully Qualified Device Description, a property that describes the device and its location
MemoryType	Mandatory	uint16	The property shall represent the type of the physical memory.
Speed	Mandatory	uint32	The property value shall be in MHz and shall represent the maximum operating speed of the physical memory.
CurrentOperatingSpeed	Mandatory	uint32	The property value shall be in MHz and shall represent the current operating speed of the physical memory.
Size	Mandatory	uint32	The property value shall be in MB and shall represent the total size of the physical memory in MegaBytes.
BankLabel	Mandatory	string	The property shall represent a string identifying the physically labeled bank where the memory is located.
Manufacturer	Mandatory	string	The property shall represent the name of the organization responsible for producing the memory.
SerialNumber	Mandatory	string	The property shall represent a manufacturer-allocated number used to identify the physical memory.
PartNumber	Mandatory	string	The property shall represent the part number assigned by the organization that is responsible for producing or manufacturing the physical memory.
Model	Mandatory	string	The property shall represent the model of the memory.
ManufactureDate	Mandatory	string	The property shall represent manufacture date of the product.
Rank	Mandatory	uint8	The property shall represent the number of ranks for the memory.
PrimaryStatus	Mandatory	uint32	The property shall represent a high level status value, intended to align with Red-Yellow-Green type

Property Name	Requirements	Type	Requirement and description
			representation of status for the physical memory,
LastSystemInventoryTime	Mandatory	string	The property shall represent the last time \"System \"Inventory Collection On Reboot(CSIOR)\" was performed. The value is represented as yyyymmddHHMMSS.
LastUpdateTime	Mandatory	string	The property shall represent the last time the data was updated. The value is represented as yyyymmddHHMMSS

7.2 Memory Profile Profile Registration

This section describes the implementation for the DCIM_LCRegisteredProfile class.

This class shall be instantiated in the Interop Namespace.

The DCIM_ElementConformsToProfile association(s) shall reference the DCIM_LCRegisteredProfile instance.

7.2.1 Resource URIs for WinRM®

The class Resource URI shall be "http://schemas.dmtf.org/wbem/wscim/1/cim-schema/2/CIM_RegisteredProfile?__cimnamespace=root/interop"

The key property shall be the InstanceID property.

The instance Resource URI shall be: "http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_LCRegisteredProfile?__cimnamespace=root/interop+InstanceID= DCIM:Memory:1.0.0"

7.2.2 Operations

The following table details the implemented operations on DCIM_LCRegisteredProfile.

Table 5 – DCIM_LCRegisteredProfile - Operations

Operation Name	Requirements	Required Input
Get	Mandatory	Instance URI
Enumerate	Mandatory	Class URI

7.2.3 Properties

The following table details the implemented properties for DCIM_LCRegisteredProfile instance representing Memory Profile implementation. The "Requirements" column shall denote the implementation requirement for the corresponding property. If the column "Name" matches the property name, the property either shall have the value denoted in the corresponding column "Additional Requirements", or shall be implemented according to the requirements in the corresponding column "Additional Requirements".

Table 6 – DCIM_LCRegisteredProfile

Property Name	Requirement	String	Additional Requirements
---------------	-------------	--------	-------------------------

Property Name	Requirement	String	Additional Requirements
InstanceID	Mandatory	String	DCIM:Memory:1.0.0
RegisteredName	Mandatory	String	This property shall have a value of "Memory".
RegisteredVersion	Mandatory	String	This property shall have a value of "1.1.0".
RegisteredOrganization	Mandatory	Uint16	This property shall have a value of 1 (Other).
OtherRegisteredOrganization	Mandatory	String	The property value shall match "DCIM".
AdvertisedTypes[]	Mandatory	Uint16	This property array shall contain [1(Other), 1 (Other)].
AdvertiseTypeDescriptions[]	Mandatory	String	This property array shall contain ["WS-Identify", "Interop Namespace"].
ProfileRequireLicense[]	Mandatory	String	This property array shall describe the required licenses for this profile. If no license is required for the profile, the property shall have value NULL.
ProfileRequireLicenseStatus[]	Mandatory	String	This property array shall contain the status for the corresponding license in the same element index of the ProfileRequireLicense array property. Each array element shall contain: • "LICENSED" • "NOT_LICENSED" If no license is required for the profile, the property shall have value NULL.

162

163 8 Methods

164 This section details the requirements for supporting extrinsic methods for the CIM elements defined by
165 this profile.

166 No additional details specified.

167 9 Use Cases

168 See *Lifecycle Controller (LC) Integration Best Practices Guide*.

169 10 CIM Elements

170 No additional details specified.

171 11 Privilege and License Requirement

172 The following table describes the privilege and license requirements for the listed operations . For the
173 detailed explanation of the privileges and licenses, refer to the Dell WSMAN Licenses and Privileges
174 specification.

175

Table 7 – Privilege and License Requirements

Class and Method	Operation	User Privilege Required	License Required
DCIM_MemoryView	ENUMERATE, GET	Login	LM_REMOTE_ASSET_IN VENTORY
DCIM_LCRegisteredProfile	ENUMERATE, GET	Login	None.
DCIM_LCElementConformsToProfile	ENUMERATE, GET	Login	None.

176

177
178
179
180
181

ANNEX A (informative)

Change Log

Version	Date	Description
1.0	2012	Initial Draft
1.1.0	03/29/2013	Updated Properties in DCIM_MemoryView.

182
183

184
185